

Trasa: Větev 101.1

Rozsah staničení: Počáteční: 0.00, Koncové: 203.66

Přírůstek staničení: 10.00

| Bod | Staničení | Y | X | Z | Celková délka | Typ | Směrník: | Poloměr |
|-----|-----------|-----------|-----------|--------|---------------|-------|----------|---------|
| 1 | 0 | 889235,16 | 1021920,6 | 461,26 | 0 | ZU, V | 27,38 | - |
| 2 | 4 | 889233,49 | 1021916,9 | 461,18 | 4 | V | 27,38 | - |
| 3 | 10 | 889230,99 | 1021911,5 | 461,12 | 10 | | 27,38 | - |
| 4 | 14,19 | 889229,24 | 1021907,7 | 461,08 | 14,19 | TK | 27,38 | - |
| 5 | 14,19 | 889229,24 | 1021907,7 | 461,08 | 14,19 | V | 27,37 | 20 |
| 6 | 16 | 889228,56 | 1021906 | 461 | 16 | V | 21,609 | 20 |
| 7 | 16,19 | 889228,5 | 1021905,8 | 460,98 | 16,19 | V | 21,004 | 20 |
| 8 | 20 | 889227,61 | 1021902,1 | 460,94 | 20 | | 8,876 | 20 |
| 9 | 22,09 | 889227,43 | 1021900 | 460,92 | 22,09 | | 2,231 | 20 |
| 10 | 26,36 | 889227,74 | 1021895,8 | 460,88 | 26,36 | ZZ | 388,632 | 20 |
| 11 | 28,12 | 889228,13 | 1021894,1 | 460,85 | 28,12 | V | 383,03 | 20 |
| 12 | 29,88 | 889228,66 | 1021892,4 | 460,79 | 29,88 | KZ | 377,428 | 20 |
| 13 | 29,99 | 889228,7 | 1021892,3 | 460,78 | 29,99 | KT | 377,081 | 20 |
| 14 | 30 | 889228,71 | 1021892,3 | 460,78 | 30 | | 377,081 | - |
| 15 | 40 | 889232,23 | 1021882,9 | 460,36 | 40 | | 377,081 | - |
| 16 | 47,63 | 889234,92 | 1021875,8 | 460,03 | 47,63 | ZZ | 377,081 | - |
| 17 | 50 | 889235,75 | 1021873,6 | 459,93 | 50 | | 377,081 | - |
| 18 | 55,55 | 889237,7 | 1021868,4 | 459,64 | 55,55 | V | 377,081 | - |
| 19 | 60 | 889239,27 | 1021864,2 | 459,36 | 60 | | 377,081 | - |
| 20 | 63,46 | 889240,49 | 1021861 | 459,11 | 63,46 | KZ | 377,081 | - |
| 21 | 65,26 | 889241,13 | 1021859,3 | 458,98 | 65,26 | TK | 377,081 | - |
| 22 | 70 | 889243,46 | 1021855,2 | 458,63 | 70 | | 356,974 | 15 |
| 23 | 73,26 | 889245,76 | 1021852,9 | 458,39 | 73,26 | | 343,132 | 15 |
| 24 | 75,77 | 889247,84 | 1021851,5 | 458,2 | 75,77 | ZZ | 332,506 | 15 |
| 25 | 80 | 889251,77 | 1021850 | 457,92 | 80 | | 314,533 | 15 |
| 26 | 80,02 | 889251,79 | 1021849,9 | 457,92 | 80,02 | V | 314,467 | 15 |
| 27 | 81,26 | 889253,01 | 1021849,7 | 457,85 | 81,26 | KT | 309,183 | 15 |
| 28 | 84,27 | 889255,98 | 1021849,3 | 457,71 | 84,27 | KZ | 309,183 | - |
| 29 | 90 | 889261,66 | 1021848,5 | 457,46 | 90 | | 309,183 | - |
| 30 | 93,95 | 889265,57 | 1021847,9 | 457,29 | 93,95 | ZZ | 309,183 | - |
| 31 | 94,96 | 889266,56 | 1021847,7 | 457,25 | 94,96 | TK | 309,183 | - |
| 32 | 96,16 | 889267,77 | 1021847,6 | 457,22 | 96,16 | V | 304,057 | 15 |
| 33 | 98,37 | 889269,97 | 1021847,6 | 457,18 | 98,37 | KZ | 294,677 | 15 |
| 34 | 100 | 889271,58 | 1021847,9 | 457,16 | 100 | | 287,78 | 15 |
| 35 | 100,62 | 889272,19 | 1021848 | 457,15 | 100,62 | | 285,162 | 15 |
| 36 | 106,28 | 889277,32 | 1021850,3 | 457,1 | 106,28 | KT | 261,142 | 15 |
| 37 | 110 | 889280,37 | 1021852,4 | 457,06 | 110 | | 261,142 | - |
| 38 | 119,77 | 889288,37 | 1021858 | 456,96 | 119,77 | TK | 261,142 | - |
| 39 | 120 | 889288,56 | 1021858,2 | 456,96 | 120 | | 261,437 | 50 |
| 40 | 123,49 | 889291,5 | 1021860,1 | 456,93 | 123,49 | | 265,881 | 50 |
| 41 | 127,21 | 889294,77 | 1021861,8 | 456,89 | 127,21 | KT | 270,621 | 50 |
| 42 | 129,87 | 889297,14 | 1021863 | 456,86 | 129,87 | TK | 270,621 | - |
| 43 | 130 | 889297,26 | 1021863,1 | 456,86 | 130 | | 270,45 | 50 |
| 44 | 133,59 | 889300,41 | 1021864,8 | 456,83 | 133,59 | | 265,881 | 50 |
| 45 | 137,31 | 889303,54 | 1021866,8 | 456,79 | 137,31 | KT | 261,142 | 50 |
| 46 | 140 | 889305,74 | 1021868,4 | 456,76 | 140 | | 261,142 | - |
| 47 | 150 | 889313,94 | 1021874,1 | 456,66 | 150 | | 261,142 | - |
| 48 | 160 | 889322,13 | 1021879,8 | 456,56 | 160 | | 261,142 | - |
| 49 | 161,24 | 889323,15 | 1021880,5 | 456,55 | 161,24 | ZZ | 261,142 | - |
| 50 | 165,19 | 889326,39 | 1021882,8 | 456,5 | 165,19 | V | 261,142 | - |

| | | | | | | | | |
|----|--------|-----------|-----------|--------|--------|-------|---------|---|
| 51 | 169,15 | 889329,63 | 1021885,1 | 456,41 | 169,15 | KZ | 261,142 | - |
| 52 | 170 | 889330,33 | 1021885,5 | 456,39 | 170 | | 261,142 | - |
| 53 | 174,18 | 889333,75 | 1021887,9 | 456,28 | 174,18 | ZZ | 261,142 | - |
| 54 | 177,96 | 889336,85 | 1021890,1 | 456,2 | 177,96 | V | 261,142 | - |
| 55 | 180 | 889338,52 | 1021891,3 | 456,17 | 180 | | 261,142 | - |
| 56 | 181,75 | 889339,96 | 1021892,3 | 456,15 | 181,75 | KZ | 261,142 | - |
| 57 | 190 | 889346,71 | 1021897 | 456,07 | 190 | | 261,142 | - |
| 58 | 192,74 | 889348,96 | 1021898,6 | 456,04 | 192,74 | TK | 261,142 | - |
| 59 | 196,89 | 889352,82 | 1021900 | 456 | 196,89 | | 294,175 | 8 |
| 60 | 200 | 889355,89 | 1021899,7 | 455,97 | 200 | | 318,904 | 8 |
| 61 | 201,04 | 889356,86 | 1021899,3 | 455,96 | 201,04 | KT | 327,209 | 8 |
| 62 | 203,66 | 889359,24 | 1021898,2 | 455,93 | 203,66 | KU, V | 327,209 | - |

Trasa: Větev 101.2

Rozsah staničení: Počáteční: 0.00, Koncové: 40.07

Přírůstek staničení: 10.00

| Bod | Staničení | Y | X | Z | Celková délka | Typ | Směrník: | Poloměr |
|-----|-----------|-----------|-----------|--------|---------------|------------------------|----------|---------|
| 1 | 0 | 889241,01 | 1021859,6 | 459,01 | 0 | ZU, V | 276,531 | - |
| 2 | 4,95 | 889245,62 | 1021861,4 | 459,14 | 4,95 | ZZ | 276,531 | - |
| 3 | 6 | 889246,61 | 1021861,8 | 459,16 | 6 | V | 276,531 | - |
| 4 | 6,45 | 889247,03 | 1021861,9 | 459,16 | 6,45 | Spád 0% (vrcholový) | 276,531 | - |
| 5 | 7,05 | 889247,59 | 1021862,1 | 459,15 | 7,05 | KZ | 276,531 | - |
| 6 | 10 | 889250,34 | 1021863,2 | 459,13 | 10 | | 276,531 | - |
| 7 | 20 | 889259,67 | 1021866,8 | 459,03 | 20 | | 276,531 | - |
| 8 | 30 | 889268,99 | 1021870,4 | 458,93 | 30 | | 276,531 | - |
| 9 | 40 | 889278,32 | 1021874 | 458,83 | 40 | | 276,531 | - |
| 10 | 40,07 | 889278,38 | 1021874 | 458,83 | 40,07 | KU, V | 276,531 | - |

Trasa: Větev 102.1

Rozsah staničení: Počáteční: 0.00, Koncové: 109.04

Přírůstek staničení: 10.00

| Bod | Staničení | Y | X | Z | Celková délka | Typ | Směrník: | Poloměr |
|-----|-----------|-----------|-----------|--------|---------------|-----|----------|---------|
| 1 | 0 | 889359,66 | 1021936,4 | 458,85 | 0 | V | 85,347 | 38 |
| 2 | 3,27 | 889356,44 | 1021935,8 | 458,95 | 3,27 | ZZ | 90,832 | 38 |
| 3 | 4,9 | 889354,83 | 1021935,6 | 459,01 | 4,9 | V | 93,548 | 38 |
| 4 | 5,07 | 889354,66 | 1021935,6 | 459,02 | 5,07 | | 93,84 | 38 |
| 5 | 6,52 | 889353,21 | 1021935,5 | 459,08 | 6,52 | KZ | 96,264 | 38 |
| 6 | 10 | 889349,73 | 1021935,4 | 459,24 | 10 | | 102,1 | 38 |
| 7 | 10,14 | 889349,59 | 1021935,4 | 459,25 | 10,14 | KT | 102,333 | 38 |
| 8 | 10,54 | 889349,2 | 1021935,5 | 459,27 | 10,54 | TK | 102,333 | - |
| 9 | 20 | 889339,73 | 1021935,5 | 459,72 | 20 | | 98,789 | 170 |
| 10 | 30 | 889329,75 | 1021935,1 | 460,19 | 30 | | 95,044 | 170 |
| 11 | 34,99 | 889324,78 | 1021934,6 | 460,43 | 34,99 | | 93,174 | 170 |
| 12 | 36,59 | 889323,19 | 1021934,4 | 460,5 | 36,59 | ZZ | 92,577 | 170 |
| 13 | 40 | 889319,81 | 1021934 | 460,66 | 40 | | 91,299 | 170 |
| 14 | 49,65 | 889310,29 | 1021932,4 | 461 | 49,65 | V | 87,684 | 170 |
| 15 | 50 | 889309,95 | 1021932,3 | 461,01 | 50 | | 87,554 | 170 |
| 16 | 59,45 | 889300,73 | 1021930,2 | 461,21 | 59,45 | KT | 84,015 | 170 |
| 17 | 60 | 889300,2 | 1021930,1 | 461,22 | 60 | | 84,015 | - |
| 18 | 62,72 | 889297,57 | 1021929,4 | 461,25 | 62,72 | KZ | 84,015 | - |

| | | | | | | | | |
|----|--------|-----------|-----------|--------|--------|------------------------|--------|----|
| 19 | 70 | 889290,51 | 1021927,6 | 461,33 | 70 | | 84,015 | - |
| 20 | 80 | 889280,83 | 1021925,1 | 461,42 | 80 | | 84,015 | - |
| 21 | 83,92 | 889277,03 | 1021924,2 | 461,46 | 83,92 | ZZ | 84,015 | - |
| 22 | 87,52 | 889273,54 | 1021923,3 | 461,48 | 87,52 | V | 84,015 | - |
| 23 | 87,52 | 889273,54 | 1021923,3 | 461,48 | 87,52 | Spád 0% (vrcholový) | 84,015 | - |
| 24 | 90 | 889271,14 | 1021922,7 | 461,47 | 90 | | 84,015 | - |
| 25 | 91,13 | 889270,05 | 1021922,4 | 461,46 | 91,13 | KZ | 84,015 | - |
| 26 | 100 | 889261,45 | 1021920,2 | 461,38 | 100 | | 84,015 | - |
| 27 | 106,2 | 889255,44 | 1021918,6 | 461,31 | 106,2 | TK | 84,015 | - |
| 28 | 107,62 | 889254,06 | 1021918,3 | 461,3 | 107,62 | | 87,025 | 30 |
| 29 | 109,04 | 889252,67 | 1021918,1 | 461,29 | 109,04 | KU | 90,034 | 30 |

Trasa: Větev 102.2

Rozsah staničení: Počáteční: 0.00, Koncové: 68.52

Přírůstek staničení: 10.00

| Bod | Staničení | Y | X | Z | Celková délka | Typ | Směrník: | Poloměr |
|-----|-----------|-----------|-----------|--------|------------------|-------------------------|----------|---------|
| 1 | 0 | 889317,34 | 1021933,6 | 460,76 | 0 | ZU, V | 390,454 | - |
| 2 | 3 | 889317,79 | 1021930,7 | 460,7 | 3 | V | 390,454 | - |
| 3 | 3,15 | 889317,81 | 1021930,5 | 460,75 | 3,15 | V | 390,454 | - |
| 4 | 4,06 | 889317,94 | 1021929,6 | 460,68 | 4,06 | TK | 390,454 | - |
| 5 | 8,43 | 889317,81 | 1021925,3 | 460,37 | 8,43 | | 13,62 | 12 |
| 6 | 9,56 | 889317,51 | 1021924,2 | 460,29 | 9,56 | ZZ | 19,628 | 12 |
| 7 | 10 | 889317,37 | 1021923,8 | 460,26 | 10 | | 21,967 | 12 |
| 8 | 10,85 | 889317,05 | 1021923 | 460,21 | 10,85 | V | 26,49 | 12 |
| 9 | 12,15 | 889316,47 | 1021921,8 | 460,17 | 12,15 | KZ | 33,353 | 12 |
| 10 | 12,79 | 889316,13 | 1021921,3 | 460,15 | 12,79 | KT | 36,786 | 12 |
| 11 | 20 | 889312,19 | 1021915,2 | 460,01 | 20 | | 36,786 | - |
| 12 | 26,87 | 889308,44 | 1021909,5 | 459,88 | 26,87 | TK | 36,786 | - |
| 13 | 29,72 | 889306,62 | 1021907,3 | 459,83 | 29,72 | ZZ | 51,904 | 12 |
| 14 | 30 | 889306,41 | 1021907,1 | 459,82 | 30 | | 53,383 | 12 |
| 15 | 32,23 | 889304,63 | 1021905,8 | 459,79 | 32,23 | | 65,206 | 12 |
| 16 | 33,87 | 889303,17 | 1021905 | 459,78 | 33,87 | Spád 0% (údolnicový) | 73,915 | 12 |
| 17 | 35,43 | 889301,7 | 1021904,5 | 459,79 | 35,43 | V | 82,203 | 12 |
| 18 | 37,59 | 889299,59 | 1021904,1 | 459,82 | 37,59 | KT | 93,626 | 12 |
| 19 | 40 | 889297,19 | 1021903,8 | 459,87 | 40 | | 93,626 | - |
| 20 | 41,14 | 889296,05 | 1021903,7 | 459,91 | 41,14 | KZ | 93,626 | - |
| 21 | 50 | 889287,24 | 1021902,9 | 460,21 | 50 | | 93,626 | - |
| 22 | 60 | 889277,29 | 1021901,9 | 460,55 | 60 | | 93,626 | - |
| 23 | 68,52 | 889268,81 | 1021901 | 460,84 | 68,52 | KU | 93,626 | - |

Trasa: Větev 103.1

Rozsah staničení: Počáteční: 0.00, Koncové: 247.43

Přírůstek staničení: 10.00

| Bod | Staničení | Y | X | Z | Celková délka | Typ | Směrník: | Poloměr |
|-----|-----------|-----------|-----------|--------|------------------|-----|----------|---------|
| 1 | 0 | 889252,67 | 1021918,1 | 461,29 | 0 | V | 90,035 | 30 |
| 2 | 6,77 | 889245,92 | 1021917,8 | 461,22 | 6,77 | V | 104,401 | 30 |
| 3 | 6,92 | 889245,77 | 1021917,8 | 461,24 | 6,92 | V | 104,72 | 30 |
| 4 | 8,77 | 889243,93 | 1021918 | 461,32 | 8,77 | V | 108,646 | 30 |
| 5 | 10 | 889242,71 | 1021918,2 | 461,32 | 10 | | 111,256 | 30 |

| | | | | | | | | |
|----|--------|-----------|-----------|--------|--------|-------------------------|---------|-----|
| 6 | 20 | 889233,34 | 1021921,5 | 461,25 | 20 | | 132,476 | 30 |
| 7 | 20,41 | 889232,98 | 1021921,7 | 461,25 | 20,41 | | 133,354 | 30 |
| 8 | 28,06 | 889226,92 | 1021926,3 | 461,2 | 28,06 | V | 149,58 | 30 |
| 9 | 29,91 | 889225,64 | 1021927,7 | 461,12 | 29,91 | V | 153,506 | 30 |
| 10 | 30 | 889225,58 | 1021927,7 | 461,11 | 30 | | 153,697 | 30 |
| 11 | 30,06 | 889225,54 | 1021927,8 | 461,1 | 30,06 | V | 153,824 | 30 |
| 12 | 40 | 889220,29 | 1021936,2 | 461,05 | 40 | | 174,918 | 30 |
| 13 | 40,83 | 889219,98 | 1021936,9 | 461,05 | 40,83 | KT | 176,673 | 30 |
| 14 | 50 | 889216,7 | 1021945,5 | 461 | 50 | | 176,673 | - |
| 15 | 55,04 | 889214,89 | 1021950,2 | 460,98 | 55,04 | ZZ | 176,673 | - |
| 16 | 60 | 889213,11 | 1021954,8 | 460,95 | 60 | | 176,673 | - |
| 17 | 60 | 889213,11 | 1021954,8 | 460,95 | 60 | V | 176,673 | - |
| 18 | 64,96 | 889211,34 | 1021959,5 | 460,9 | 64,96 | KZ | 176,673 | - |
| 19 | 70 | 889209,53 | 1021964,2 | 460,85 | 70 | | 176,673 | - |
| 20 | 80 | 889205,95 | 1021973,5 | 460,75 | 80 | | 176,673 | - |
| 21 | 90 | 889202,37 | 1021982,8 | 460,65 | 90 | | 176,673 | - |
| 22 | 91,04 | 889201,99 | 1021983,8 | 460,64 | 91,04 | ZZ | 176,673 | - |
| 23 | 93,53 | 889201,1 | 1021986,1 | 460,63 | 93,53 | V | 176,673 | - |
| 24 | 93,53 | 889201,1 | 1021986,1 | 460,63 | 93,53 | Spád 0% (údolnicový) | 176,673 | - |
| 25 | 96,02 | 889200,21 | 1021988,5 | 460,64 | 96,02 | KZ | 176,673 | - |
| 26 | 100 | 889198,78 | 1021992,2 | 460,68 | 100 | | 176,673 | - |
| 27 | 110 | 889195,2 | 1022001,5 | 460,78 | 110 | | 176,673 | - |
| 28 | 110,92 | 889194,87 | 1022002,4 | 460,79 | 110,92 | TK | 176,673 | - |
| 29 | 111,78 | 889194,56 | 1022003,2 | 460,8 | 111,78 | ZZ | 176,455 | 250 |
| 30 | 114,02 | 889193,74 | 1022005,3 | 460,81 | 114,02 | Spád 0% (vrcholový) | 175,886 | 250 |
| 31 | 114,33 | 889193,63 | 1022005,6 | 460,81 | 114,33 | V | 175,805 | 250 |
| 32 | 116,88 | 889192,67 | 1022007,9 | 460,79 | 116,88 | KZ | 175,156 | 250 |
| 33 | 120 | 889191,46 | 1022010,8 | 460,75 | 120 | | 174,362 | 250 |
| 34 | 127,75 | 889188,32 | 1022017,9 | 460,65 | 127,75 | | 172,389 | 250 |
| 35 | 130 | 889187,36 | 1022019,9 | 460,62 | 130 | | 171,816 | 250 |
| 36 | 140 | 889182,9 | 1022028,9 | 460,5 | 140 | | 169,269 | 250 |
| 37 | 144,58 | 889180,74 | 1022032,9 | 460,44 | 144,58 | KT | 168,104 | 250 |
| 38 | 147,82 | 889179,18 | 1022035,7 | 460,4 | 147,82 | TK | 168,104 | - |
| 39 | 150 | 889178,13 | 1022037,6 | 460,37 | 150 | | 167,826 | 500 |
| 40 | 157,81 | 889174,29 | 1022044,5 | 460,27 | 157,81 | ZZ | 166,831 | 500 |
| 41 | 160 | 889173,2 | 1022046,4 | 460,24 | 160 | | 166,553 | 500 |
| 42 | 170 | 889168,1 | 1022055 | 460,06 | 170 | | 165,28 | 500 |
| 43 | 170,04 | 889168,08 | 1022055 | 460,06 | 170,04 | V | 165,275 | 500 |
| 44 | 171,36 | 889167,39 | 1022056,1 | 460,03 | 171,36 | | 165,106 | 500 |
| 45 | 180 | 889162,83 | 1022063,4 | 459,82 | 180 | | 164,007 | 500 |
| 46 | 182,27 | 889161,61 | 1022065,4 | 459,75 | 182,27 | KZ | 163,718 | 500 |
| 47 | 190 | 889157,38 | 1022071,8 | 459,53 | 190 | | 162,734 | 500 |
| 48 | 194,9 | 889154,65 | 1022075,9 | 459,38 | 194,9 | KT | 162,109 | 500 |
| 49 | 200 | 889151,8 | 1022080,1 | 459,24 | 200 | | 162,109 | - |
| 50 | 210 | 889146,19 | 1022088,4 | 458,94 | 210 | | 162,109 | - |
| 51 | 219,83 | 889140,68 | 1022096,6 | 458,66 | 219,83 | V | 162,109 | - |
| 52 | 219,98 | 889140,59 | 1022096,7 | 458,68 | 219,98 | V | 162,109 | - |
| 53 | 220 | 889140,58 | 1022096,7 | 458,68 | 220 | | 162,109 | - |
| 54 | 221,83 | 889139,56 | 1022098,2 | 458,76 | 221,83 | V | 162,109 | - |
| 55 | 230 | 889134,98 | 1022105 | 458,48 | 230 | | 162,109 | - |
| 56 | 231,93 | 889133,9 | 1022106,6 | 458,41 | 231,93 | ZZ | 162,109 | - |
| 57 | 233,79 | 889132,85 | 1022108,1 | 458,35 | 233,79 | V | 162,109 | - |
| 58 | 235,64 | 889131,81 | 1022109,6 | 458,32 | 235,64 | KZ | 162,109 | - |
| 59 | 240 | 889129,37 | 1022113,3 | 458,25 | 240 | | 162,109 | - |

| | | | | | | | | |
|----|--------|-----------|-----------|--------|--------|-------|---------|---|
| 60 | 245,43 | 889126,33 | 1022117,7 | 458,18 | 245,43 | V | 162,109 | - |
| 61 | 247,28 | 889125,29 | 1022119,3 | 458,1 | 247,28 | V | 162,109 | - |
| 62 | 247,43 | 889125,21 | 1022119,4 | 458,08 | 247,43 | KU, V | 162,109 | - |

Trasa: Trasa-103.2

Rozsah staničení: Počáteční: 0.00, Koncové: 36.61

Přírůstek staničení: 10.00

| Bod | Staničení | Y | X | Z | Celková délka | Typ | Směrník: | Poloměr |
|-----|-----------|-----------|-----------|--------|------------------|-------|----------|---------|
| 1 | 0 | 889160,58 | 1022072,4 | 459,62 | 0 | ZU, V | 262,507 | - |
| 2 | 0,15 | 889160,71 | 1022072,5 | 459,67 | 0,15 | V | 262,507 | - |
| 3 | 2,19 | 889162,4 | 1022073,7 | 459,72 | 2,19 | TT | 262,507 | - |
| 4 | 2,19 | 889162,41 | 1022073,7 | 459,72 | 2,19 | V | 274,351 | - |
| 5 | 2,34 | 889162,54 | 1022073,7 | 459,7 | 2,34 | V | 274,351 | - |
| 6 | 10 | 889169,59 | 1022076,7 | 459,97 | 10 | | 274,351 | - |
| 7 | 20 | 889178,79 | 1022080,6 | 460,32 | 20 | | 274,351 | - |
| 8 | 30 | 889187,99 | 1022084,6 | 460,67 | 30 | | 274,351 | - |
| 9 | 36,61 | 889194,06 | 1022087,1 | 460,9 | 36,61 | KU | 274,351 | - |